



PLAT OF SURVEY




LEGEND

- ⊙ No. 8 x 30" rebar set with Grant County Aluminum Cap
- No. 6 x 24" rebar set with cap
- No. 6 rebar found
- + No monument set
- () Recorded as
- [-] Property described in Volume and Page, Grant County Registry
- *- Approximate location of fence

Fences shown on this survey were measured at random locations. The fence may meander between fence corners and are shown for reference only. Possession and occupational rights MAY have been acquired to the fence and it is not known if the fence is a fence of convenience or if it is intended to mark the boundary. This survey was prepared with the intent of following the lines shown and described hereon.




The North-South 1/4 line of Section 19 is assumed to bear N 00°17'25" W.



AJ Austin

ALL PLANS THAT DO NOT SHOW AN SEAL IMPRINT IN RED INK MAY CONTAIN UNAUTHORIZED ALTERATIONS. THE CERTIFICATION CONTAINED ON THIS DOCUMENT SHALL NOT APPLY TO ANY COPIES. DATED: 5-11-2011.



SOUTH 1/4 CORNER SECTION 19, T5N R5W



Austin Engineering LLC
austinengineeringllc.com

4211 HWY 81 E, LANCASTER, WI 53813
PHONE: 608-723-6363 FAX: 608-723-6702

Prepared for: **MARCUS MORAREND**

JOB NO: 11s087
G:\T5NR5W\29
H:\PLAT\5NR5W\19\11s087-MORAREND

FIELDBOOK: TDSR
DRAWN BY: AJ AUSTIN
CREW: BS-SA-SB

SHEET 1 OF 2

MAY 23 2011

PLAT OF SURVEY

TRACT 1 DESCRIPTION:

Located in the Southeast Quarter (SE 1/4) of the Southwest Quarter (SW 1/4) of Section Nineteen (19), Township Five (5) North, Range Five (5) West of the 4th P.M., Town of Bloomington, Grant County, Wisconsin, containing 2.76 acres, more or less, and being described as follows:

Commencing at the South Quarter (S 1/4) corner of said Section;
thence North 00° 17' 25" West 924.00 feet along the North-South Quarter (N-S 1/4) line of said Section to the point of beginning;
thence North 33° 47' 25" West 385.67 feet along a line as described in Volume 837, Page 07 recorded as Document No. 613736, Grant County Registry;
thence South 85° 40' 38" West 200.20 feet;
thence South 60° 40' 12" West 96.20 feet;
thence South 03° 03' 40" West 250.04 feet to a point in the centerline of a township road known as Sycamore Road;
thence South 89° 02' 01" East 511.42 feet along said centerline to the point of beginning.

SURVEYOR'S CERTIFICATE:

I, Aaron J. Austin, Registered Wisconsin Land Surveyor, hereby certify:

That the above description was surveyed, mapped and monumented as shown on this plat by me or under my direct supervision.

That conformance with local ordinances are not guaranteed with this survey.


That this survey was prepared under the instructions of Marcus Morarend.


That to the best of my knowledge and belief, this plat is an accurate representation thereof.

That all plans that do not show a seal imprint in red ink may contain unauthorized alterations.

The certification contained on this document shall not apply to any copies.

Dated this 11th day of May, 2011.


Aaron J. Austin, S-2922



SURVEYOR'S NOTES:

Surveyor has made no investigation for easements of record, encumbrances, restrictive covenants, ownership title evidence except as specifically shown on this plat. No distance should be assumed by scaling. No improvements have been located unless shown and noted. No representation as to ownership, use or possession should be hereon implied. Refer to abstract, title or local ordinances for any additional restriction, easements or building setback lines. No abstract, nor title commitment, nor results of title searches were furnished the surveyor.



Austin
Engineering LLC
austinengineeringllc.com

4211 HWY 81 E, LANCASTER, WI 53813
PHONE: 608-723-6363 FAX: 608-723-6702

Prepared for: MARCUS MORAREND


JOB NO: 11s087
G:\T5NR5W\29
H:\PLAT\5NR5W\19\11s087-MORAREND

FIELDBOOK: TDSR
DRAWN BY: AJ AUSTIN
CREW: BS-SA-SB

SHEET 2 OF 2

PLAT OF SURVEY


NORTH 1/4 CORNER
SECTION 19, T5N R5W




LEGEND

- ⊙ No. 8 x 30" rebar set with Grant County Aluminum Cap
- No. 6 x 24" rebar set with cap
- No. 6 rebar found
- + No monument set
- () Recorded as
- [-] Property described in Volume and Page, Grant County Registry
- *-*-* Approximate location of fence

Fences shown on this survey were measured at random locations. The fence may meander between fence corners and are shown for reference only. Possession and occupational rights MAY have been acquired to the fence and it is not known if the fence is a fence of convenience or if it is intended to mark the boundary. This survey was prepared with the intent of following the lines shown and described hereon.



The North-South 1/4 line of Section 19 is assumed to bear N 00°17'25" W.



ALL PLANS THAT DO NOT SHOW A SEAL IMPRINT IN RED INK MAY CONTAIN UNAUTHORIZED ALTERATIONS. THE CERTIFICATION CONTAINED ON THIS DOCUMENT SHALL NOT APPLY TO ANY COPIES. DATED: 5-23-2011.

Aaron J. Austin
AARON J. AUSTIN
LAND SURVEYOR

SOUTH 1/4 CORNER
SECTION 19, T5N R5W



Austin Engineering LLC
austinengineeringllc.com

Prepared for: **MARCUS MORAREND**

JOB NO: 11s117
G:\T5NR5W\29
H:\PLAT\T5NR5W\19\11s117-MORAREND

FIELDBOOK: TDSR
DRAWN BY: AJ AUSTIN
CREW: BS-SA-SB

4211 HWY 81 E, LANCASTER, WI 53813
PHONE: 608-723-6363 FAX: 608-723-6702

SHEET 1 OF 2

JUN 20 2011

PLAT OF SURVEY

TRACT 1 DESCRIPTION:

Located in the Southeast Quarter (SE 1/4) of the Southwest Quarter (SW 1/4) of Section Nineteen (19), Township Five (5) North, Range Five (5) West of the 4th P.M., Town of Bloomington, Grant County, Wisconsin, containing 2.55 acres, more or less, and being described as follows:

Commencing at the South Quarter (S 1/4) corner of said Section;
thence North 00° 17' 25" West 924.00 feet along the North-South Quarter (N-S 1/4) line of said Section;
thence North 89° 02' 01" West 45.32 feet to a point in the centerline of a township road known as Sycamore Road, said point being the point of beginning;
thence North 29° 35' 21" West 366.68 feet along an existing fence line to a No. 6 rebar;
thence South 85° 40' 38" West 188.28 feet to a No. 6 rebar
thence South 60° 40' 12" West 96.20 feet to a No. 6 rebar
thence South 03° 03' 40" West 250.04 feet to a point in the centerline of said Sycamore Road;
thence South 89° 02' 01" East 466.10 feet along said centerline to the point of beginning.

SURVEYOR'S CERTIFICATE:

I, Aaron J. Austin, Registered Wisconsin Land Surveyor, hereby certify:

That the above description was surveyed, mapped and monumented as shown on this plat by me or under my direct supervision.

That conformance with local ordinances are not guaranteed with this survey.


That this survey was prepared under the instructions of Marcus Morarend.

That to the best of my knowledge and belief, this plat is an accurate representation thereof.

That all plans that do not show a seal imprint in red ink may contain unauthorized alterations.

The certification contained on this document shall not apply to any copies.

Dated this 23rd day of May, 2011.


Aaron J. Austin, S-2922



SURVEYOR'S NOTES:

Surveyor has made no investigation for easements of record, encumbrances, restrictive covenants, ownership title evidence except as specifically shown on this plat. No distance should be assumed by scaling. No improvements have been located unless shown and noted. No representation as to ownership, use or possession should be hereon implied. Refer to abstract, title or local ordinances for any additional restriction, easements or building setback lines. No abstract, nor title commitment, nor results of title searches were furnished the surveyor.



Austin
Engineering LLC
austinengineeringllc.com

4211 HWY 81 E, LANCASTER, WI 53813
PHONE: 608-723-6363 FAX: 608-723-6702

Prepared for: MARCUS MORAREND

JOB NO: 11s117
G:\T5NR5W\29
H:\PLAT\T5NR5W\19\11s117-MORAREND

FIELDBOOK: TDSR
DRAWN BY: AJ AUSTIN
CREW: BS-SA-SB

SHEET 2 OF 2